ELSEVIER

Neuroscience Letters 320 (2002) 164–166

Neuroscience Letters

www.elsevier.com/locate/neulet

# Author Index to Volume 320

Abo, T., see Mori, H., 21
Akaike, A., see Yoshida, K., 121
Aketa, S., see Nakagawa, I., 33
Arinami, T., see Nakayama, J., 77
Armstrong, C.G., see Trotter, L., 29

Besson, J.-M., see Rivot, J.-P., 86
Bleckmann, H., see Vonderschen, K., 37
Braak, H., see Ghebremedhin, E., 25
Brown, R.E., see Korotkova, T.M., 133

Carrier, J., Paquet, J., Morettini, J., Touchette, É., Phase advance of sleep and temperature circadian rhythms in the middle years of life in humans, 1
Caruncho, H.J., see Rodríguez-Pallares, J., 65
Chazot, P.L., see Obrenovitch, T.P., 161
Cocozza, S., see Pianese, L., 137
Cohen, P., see Trotter, L., 29
Coulton, G., see Simon, M., 9

De Biase, I., see Pianese, L., 137
de Graan, P.N.E., see van Dam, E.J.M., 129
Dickson, D.W., see Mattila, P., 81
Duan, Q.-H., see Hu, Y.-Y., 156

Endrass, T., Mohr, B., Rockstroh, B., Reduced interhemispheric transmission in schizophrenia patients: evidence from event-related potentials, 57
Epstein, C.M., Sekino, M., Yamaguchi, K., Kamiya, S., Ueno, S., Asymmetries of prefrontal cortex in human episodic memory: effects of transcranial magnetic stimulation on learning abstract patterns, 5

Fischer, A., see Peiser, C., 41
Fleming, Y., see Trotter, L., 29
Fujino, K., Yoshitake, T., Inoue, O., Ibii, N., Kehr, J., Ishida, J., Nohta, H., Yamaguchi, M., Increased serotonin release in mice frontal cortex and hippocampus induced by acute physiological stressors, 91

Ghebremedhin, E., Thal, D.R., Schultz, C., Braak, H., Age-dependent association between butyrylcholinesterase K-variant and Alzheimer disease-related neuropathology in human brains, 25
Gispen, W.H., see van Dam, E.J.M., 129
Godukhin, O.V., see Obrenovitch, T.P., 161
Godwin, D.W., see McCauley, A.K., 151
Graus, F., see Sánchez-Valle, R., 69
Greffrath, W., Kirschstein, T., Nawrath, H., Treede, R.-D., Acetylsalicylic acid reduces heat responses in rat nociceptive primary sensory neurons – evidence for a new mechanism of action, 61
Groneberg, D.A., see Peiser, C., 41
Grundke-Iqbal, I., see Hu, Y.-Y., 156
Guerra, M.J., see Rodríguez-Pallares, J., 65

Haas, H.L., see Korotkova, T.M., 133
Hains, B.C., Willis, W.D., Hulsebosch, C.E., Differential electrophysiological effects of brain-derived neurotrophic factor on dorsal horn neurons following chronic spinal cord hemisection injury in the rat, 125
Hajimohamadreza, I., see Trotter, L., 29
He, S.-S., see Hu, Y.-Y., 156
Hofmann, M.H., see Vonderschen, K., 37
Hu, Y.-Y., He, S.-S., Wang, X.-C., Duan, Q.-H., Khatoon, S., Iqbal, K., Grundke-Iqbal, I., Wang, J.-Z., Elevated levels of phosphorylated neurofilament proteins in cerebrospinal fluid of Alzheimer disease patients, 156
Hulsebosch, C.E., see Hains, B.C., 125
Hwang, B.G., Min, B.-I., Kim, J.H., Na, H.S., Park, D.S., Effects of electroacupuncture on the mechanical allodynia in the rat model of neuropathic pain, 49

Ibii, N., see Fujino, K., 91
Inoue, O., see Fujino, K., 91
Iqbal, K., see Hu, Y.-Y., 156
Ishida, J., see Fujino, K., 91
Ishida, Y., see Sumi, Y., 13
Izumi, Y., see Oda, M., 105

Junn, E., Mouradian, M.M., Human α-Synuclein over-expression increases intracellular reactive oxygen species levels and susceptibility to dopamine, 146

Kamada, Y., see Nakagawa, I., 33
Kamal, A., see van Dam, E.J.M., 129
Kamiya, S., see Epstein, C.M., 5
Kaneko, S., see Yoshida, K., 121
Kanzaki, J., see Shizuki, K., 73
Karran, E.H., see Trotter, L., 29
Kawakami, H., see Oda, M., 105
Kawamura, H., see Mori, H., 21
Kehr, J., see Fujino, K., 91
Khatoon, S., see Hu, Y.-Y., 156
Kim, J.H., see Hwang, B.G., 49
Kimura, S., see Koizumi, M., 96
Kinloch, R.A., see Trotter, L., 29
Kirschstein, T., see Greffrath, W., 61
Kobsar, I., Mäurer, M., Ott, T., Martini, R., Macrophage-related demyelination in peripheral nerves of mice deficient in the gap junction protein connexin 32, 17
Koizumi, M., Kimura, S., Enterostatin increases extracellular serotonin and dopamine in the lateral hypothalamic area in rats measured by in vivo microdialysis, 96

PII: S0304-3940(02)00132-5

Korotkova, T.M., Haas, H.L., Brown, R.E., Histamine excites GABAergic cells in the rat substantia nigra and ventral tegmental area in vitro, 133
Kuroda, Y., see Sumi, Y., 13

Labandeira-García, J.L., see Rodríguez-Pallares, J., 65
Lang, R.E., see Peiser, C., 41
Lin, M.-T., Wang, J.-J., Young, M.-S., The protective effect of dl-tetrahydropalmatine against the development of amygdala kindling seizures in rats, 113

Mann, D., see Simon, M., 9
Martini, R., see Kobsar, I., 17
Maruyama, H., see Oda, M., 105
Matsumoto, M., see Togashi, H., 109
Matsunobu, T., see Shizuki, K., 73
Mattila, P., Togo, T., Dickson, D.W., The subthalamic nucleus has neurofibrillary tangles in argyrophilic grain disease and advanced Alzheimer's disease, 81
Mäurer, M., see Kobsar, I., 17
McCauley, A.K., Meyer, G.A., Godwin, D.W., Developmental regulation of brain nitric oxide synthase expression in the ferret thalamic reticular nucleus, 151
McGregor, G.P., see Peiser, C., 41
Meyer, G.A., see McCauley, A.K., 151
Min, B.-I., see Hwang, B.G., 49
Mohr, B., see Endrass, T., 57
Montagne-Clavel, J., see Rivot, J.-P., 86
Monticelli, A., see Pianese, L., 137
Morettini, J., see Carrier, J., 1
Mori, H., Nishijo, K., Kawamura, H., Abo, T., Unique immunomodulation by electro-acupuncture in humans possibly via stimulation of the autonomic nervous system, 21
Morino, H., see Oda, M., 105
Mouradian, M.M., see Junn, E., 146
Myers, R.R., see Shubayev, V.I., 99

Na, H.S., see Hwang, B.G., 49
Nakagawa, I., Nakase, H., Aketa, S., Kamada, Y., Yamashita, M., Sakaki, T., ATP-dependent potassium channel mediates neuroprotection by chemical preconditioning with 3-nitropropionic acid in gerbil hippocampus, 33
Nakagawa, T., see Yoshida, K., 121
Nakamura, K., see Togashi, H., 109
Nakamura, S., see Oda, M., 105
Nakase, H., see Nakagawa, I., 33
Nakayama, J., Yoshizawa, T., Yamamoto, N., Arinami, T., Mutation analysis of the calpastatin gene (*CAST*) in patients with Alzheimer's disease, 77
Natale, V., Circadian motor asymmetries in humans, 102
Nawrath, H., see Greffrath, W., 61
Necker, R., Mechanosensitivity of spinal accessory lobe neurons in the pigeon, 53
Nishijo, K., see Mori, H., 21
Nohta, H., see Fujino, K., 91
Nyberg, F., see Zhou, Q., 117

Obrenovitch, T.P., Godukhin, O.V., Chazot, P.L., Repetitive spreading depression induces nestin protein expression in the cortex of rats and mice. Is this upregulation initiated by *N*-methyl-D-aspartate receptors?, 161
Oda, M., Morino, H., Maruyama, H., Terasawa, H., Izumi, Y., Torii, T., Sasaki, K., Nakamura, S., Kawakami, H., Dinucleotide repeat polymorphisms in the Neprilysin gene are not associated with sporadic Alzheimer's disease, 105
Ogawa, K., see Shizuki, K., 73
Ogita, K., see Shizuki, K., 73
Ohashi, S., see Togashi, H., 109
Okamura, H., see Sumi, Y., 13
Ott, T., see Kobsar, I., 17

Panton, W., see Trotter, L., 29
Paquet, J., see Carrier, J., 1
Park, D.S., see Hwang, B.G., 49
Peiser, C., Springer, J., Groneberg, D.A., McGregor, G.P., Fischer, A., Lang, R.E., Leptin receptor expression in nodose ganglion cells projecting to the rat gastric fundus, 41
Petalidis, L., see Trotter, L., 29
Pianese, L., Tammaro, A., Turano, M., De Biase, I., Monticelli, A., Cocozza, S., Identification of a novel transcript of X25, the human gene involved in Friedreich ataxia, 137

Ramakers, G.M.J., see van Dam, E.J.M., 129
Rivot, J.-P., Montagne-Clavel, J., Besson, J.-M., Increased nitric oxide release by transient peripheral noxious inputs to the spinal cord of rats: an in vivo voltammetric approach, 86
Rockstroh, B., see Endrass, T., 57
Rodríguez-Pallares, J., Caruncho, H.J., Guerra, M.J., Labandeira-García, J.L., Dipyridamole-induced increase in production of rat dopaminergic neurons from mesencephalic precursors, 65
Ruiter, B., see van Dam, E.J.M., 129

Saito, H., see Togashi, H., 109
Saiz, A., see Sánchez-Valle, R., 69
Sakaki, T., see Nakagawa, I., 33
Sánchez-Valle, R., Saiz, A., Graus, F., 14-3-3 protein isoforms and atypical patterns of the 14-3-3 assay in the diagnosis of Creutzfeldt–Jakob disease, 69
Sasaki, K., see Oda, M., 105
Satoh, M., see Yoshida, K., 121
Schultz, C., see Ghebremedhin, E., 25
Sekino, M., see Epstein, C.M., 5
Shizuki, K., Ogawa, K., Matsunobu, T., Kanzaki, J., Ogita, K., Expression of c-Fos after noise-induced temporary threshold shift in the guinea pig cochlea, 73
Shubayev, V.I., Myers, R.R., Anterograde TNFα transport from rat dorsal root ganglion to spinal cord and injured sciatic nerve, 99
Sia, G.M., see Wong, Y.W., 141
Simon, M., Mann, D., Coulton, G., Terenghi, G., Differential tyrosine kinase C mRNA distribution in extensor digitorum longus and soleus motoneurons in adult rats: effect of axotomy and neurotrophin-3 treatment, 9
Springer, J., see Peiser, C., 41
Suchecki, D., Tiba, P.A., Tufik, S., Paradoxical sleep deprivation facilitates subsequent corticosterone response to a mild stressor in rats, 45
Sumi, Y., Yagita, K., Yamaguchi, S., Ishida, Y., Kuroda, Y., Okamura, H., Rhythmic expression of RORβ mRNA in the mice suprachiasmatic nucleus, 13

Tammaro, A., see Pianese, L., 137
Terasawa, H., see Oda, M., 105
Terenghi, G., see Simon, M., 9

Thal, D.R., see Ghebremedhin, E., 25
Tiba, P.A., see Suchecki, D., 45
Togashi, H., Nakamura, K., Matsumoto, M., Ueno, K.-i., Ohashi, S., Saito, H., Yoshioka, M., Aniracetam enhances glutamatergic transmission in the prefrontal cortex of stroke-prone spontaneously hypertensive rats, 109
Togo, T., see Mattila, P., 81
Too, H.P., see Wong, Y.W., 141
Torii, T., see Oda, M., 105
Touchette, É., see Carrier, J., 1
Treede, R.-D., see Greffrath, W., 61
Trotter, L., Panton, W., Hajimohamadreza, I., Petalidis, L., Ward, R., Fleming, Y., Armstrong, C.G., Cohen, P., Karran, E.H., Kinloch, R.A., Mitogen-activated protein kinase kinase 7 is activated during low potassium-induced apoptosis in rat cerebellar granule neurons, 29
Tufik, S., see Suchecki, D., 45
Turano, M., see Pianese, L., 137

Ueno, K.-i., see Togashi, H., 109
Ueno, S., see Epstein, C.M., 5

van Dam, E.J.M., Ruiter, B., Kamal, A., Ramakers, G.M.J., Gispen, W.H., de Graan, P.N.E., *N*-methyl-D-aspartate-induced long-term depression is associated with a decrease in postsynaptic protein kinase C substrate phosphorylation in rat hippocampal slices, 129
Vonderschen, K., Bleckmann, H., Hofmann, M.H., A direct projection from the cerebellum to the telencephalon in the goldfish, *Carassius auratus*, 37

Wang, J.-J., see Lin, M.-T., 113
Wang, J.-Z., see Hu, Y.-Y., 156
Wang, X.-C., see Hu, Y.-Y., 156
Ward, R., see Trotter, L., 29
Willis, W.D., see Hains, B.C., 125
Wong, Y.W., Sia, G.M., Too, H.P., Quantification of mouse glial cell-line derived neurotrophic factor family receptor alpha 2 alternatively spliced isoforms by real time detection PCR using SYBR Green I, 141

Yagita, K., see Sumi, Y., 13
Yamaguchi, K., see Epstein, C.M., 5
Yamaguchi, M., see Fujino, K., 91
Yamaguchi, S., see Sumi, Y., 13
Yamamoto, N., see Nakayama, J., 77
Yamashita, M., see Nakagawa, I., 33
Yoshida, K., Nakagawa, T., Kaneko, S., Akaike, A., Satoh, M., Adenosine 5′-triphosphate inhibits slow depolarization induced by repetitive dorsal root stimulation via P2Y purinoceptors in substantia gelatinosa neurons of the adult rat spinal cord slices with the dorsal root attached, 121
Yoshioka, M., see Togashi, H., 109
Yoshitake, T., see Fujino, K., 91
Yoshizawa, T., see Nakayama, J., 77
Young, M.-S., see Lin, M.-T., 113

Zhou, Q., Nyberg, F., Injection of substance P (SP) N-terminal fragment $SP_{1-7}$ into the ventral tegmental area modulates the levels of nucleus accumbens dopamine and dihydroxyphenylacetic acid in male rats during morphine withdrawal, 117